



The Preferred Alternative crosses tributaries to Little Reedy Creek as well as Little Reedy Creek just north of I-95. The Southern Preferred Alternative does not cross Little Reedy or Reedy Creeks or Buck Swamp, staying in the Catfish Creek drainage until approximately 10 miles south of Latta. Also, predicted development under the No-build Alternative and the Southern Preferred Alternative is located primarily at the proposed interchange with U.S. Route 501 west of Latta in the Catfish Creek watershed. Therefore, cumulative impacts to water quality of Buck Swamp from the Preferred Alternative crossing Little Reedy Creek prior to it flowing into Buck Swamp would not occur.

# 3.18 Floodplain

#### 3.18.1 What is a floodplain?

Floodplains are low-lying areas located adjacent to the channel of a river, stream, or other type of water body. These areas are subject to periodic flooding during heavy rains and/or long periods of wet weather. The flood prone area of a stream or river system is twice the height of its maximum bankfull depth. Based on this definition, areas of lower elevation typically are greater in size than in regions of higher elevation.<sup>224</sup> The project study area is located in the

# **National Flood Insurance Program**

Congress created the National Flood Insurance Program in 1968 to minimize the taxpayer burden caused by escalating flood costs and to reduce such costs in the future by implementing floodplain protection ordinances and flood insurance that place a premium on actual flood related risk.

Atlantic Coastal Plain of South Carolina, which is the hydrogeologic portion of the state between the fall line that runs approximately from Augusta, Georgia to Cheraw, South Carolina and the coast.<sup>225</sup> In North Carolina, it is located in the North Atlantic Coastal Plain Aquifer System. Rivers within the Atlantic Coastal Plain have been described as generally meandering with broad alluvial valleys.<sup>226</sup> Alluvial valleys are formed when soils, rock, and other particles are carried by water from an area upstream and deposited downstream in the floodplain.<sup>227</sup>

A floodplain provides important functions in the natural environment such as:

- providing temporary storage of flood waters;
- preventing heavy erosion caused by fast moving water;
- providing a vegetative buffer to filter silt and contaminants before entering a water body;
- recharging and protecting groundwater; and
- accommodating the natural movement of streams/channels.

<sup>&</sup>lt;sup>224</sup> Dave Rosgen, Applied River Morphology (Pagosa Springs: Wildland Hydrology Books, 1996) p. 19.

<sup>&</sup>lt;sup>225</sup> SCDHEC, South Carolina Source Water Assessment and Protection Program, (1999).

<sup>&</sup>lt;sup>226</sup> D. Shankman and L. Smith, "Stream Channelization and Swamp Formation in the U.S. Coastal Plain" *Physical Geology* (2004), Vol. 22: 22-38.

<sup>&</sup>lt;sup>227</sup> Dictionary.com Website, <a href="http://dictionary.reference.com/search?q=alluvium">http://dictionary.reference.com/search?q=alluvium</a> (May 26, 2008).

#### 3.18.2 What agencies regulate floodplains?

The National Flood Insurance Program is administered by the Federal Emergency Management Agency (FEMA). The state National Flood Insurance Program Coordinating Offices for South Carolina and North Carolina are the SCDNR and NCDENR, respectively. Through the assistance of FEMA, SCDNR, and NCDENR, counties in the project study area have performed Flood Insurance Studies to identify flood hazards for the purposes of floodplain management and insurance determinations. Those portions of floodplain areas that are considered jurisdictional wetlands are additionally regulated by Sections 401 and 404 of the *Clean Water Act*.

# 3.18.3 How were the floodplain boundaries determined for this study?

The National Flood Insurance Program uses Flood Insurance Studies to map zones of flooding risk. These zones are then used to produce Flood Insurance Rate Maps, which can be obtained from FEMA. The limits of floodplains are determined by forecasting the elevation to which flood waters may rise during a 100-year storm event and then overlaying them onto a map showing the existing topography. A 100-year floodplain is the area adjacent to a water body that has a one percent chance of flooding in any given year. A floodway is a river channel or other waterbody and the land directly beside it that must be free from any type of encroachment (obstacle) to allow the discharge of water during a 100-year flood without raising the water levels more than one foot.<sup>228</sup>

FEMA Flood Insurance Rate Maps that were available for the project study area did not differentiate between the floodplains and floodways. All areas within the floodplain were designated as Zone A. Zone A is the flood insurance rate zone that corresponds to 100-year floodplains determined by approximate methods, and as previously mentioned, has a one percent chance of flooding in any given year.<sup>229</sup> Detailed hydraulic analyses are not performed by FEMA for Zone A areas and as such no Base Flood Elevations or depths are shown within this zone.

# 3.18.4 What floodplains are located within the project study area?

Based upon a review of the floodplain mapping and a GIS analysis of the project study area, approximately seven percent of the land area within the project study area is within a FEMA designated 100-year floodplain. Table 3.67 (refer to pages 3-264 and 3-265) lists the rivers, streams, and wetland areas within Zone A in the project study area. Figure 3-31 (refer to page 3-163) illustrates the extent of floodplains within the project study area.

<sup>&</sup>lt;sup>222</sup> SCDNR, South Carolina Flood Mitigation Programs Website, *South Carolina Quick Guide*, <a href="http://www.dnr.sc.gov/water/flood/quickguide.html">http://www.dnr.sc.gov/water/flood/quickguide.html</a> (May 26, 2008).

<sup>&</sup>lt;sup>223</sup> *Ibid*.





# Table 3.67 National Flood Insurance Program Regulated Floodplains Located Within the Project Study Area

¥47. 4	C 1	ITIC C. 1
Waterway	County	HUC Code
		(Watershed/ Tributary of)
		03040204-0100
Guinns Mill Pond/Joes Creek	Richmond	Little Pee Dee River
		03040204-0501
Carolina Branch	Dillon/ Marlboro	Middle Little Pee Dee River
		03040204-0502
Beaverdam Creek	Dillon/Marlboro	Middle Little Pee Dee River
		03040204-0503
Hayes Swamp	Dillon	Middle Little Pee Dee River
		03040204-0504
Ropers Mill Branch	Dillon	Middle Little Pee Dee River
		03040204-0505
Maple Swamp	Dillon	Middle Little Pee Dee River
		03040204-0401
Reedy Creek	Dillon/Marlboro	Buck Swamp – Little Pee Dee River
		03040204-0402
Little Reedy Creek	Dillon/Marlboro	Buck Swamp – Little Pee Dee River
		03040204-0305
Shoe Heel Creek	Dillon	Maxton Pond – Little Pee Dee River
		03040204-0203
Leith Creek	Dillon/ Marlboro	Leith Creek – Little Pee Dee River
		03040204-0105
Gum Swamp Creek	Marlboro	Upper Little Pee Dee River
Beaverdam Creek - Gum		03040204-0106
Swamp Creek	Marlboro	Upper Little Pee Dee River
		03040204-0107
Reedy Branch	Dillon/Marlboro	Upper Little Pee Dee River
		0304201-0305
Marks Creek	Richmond	Lower Pee Dee River
		03040201-0305
Everetts Lake-Marks Creek	Marlboro/Richmond	Marks Creek – Pee Dee River
		03040201-0306
Whortleberry Creek	Marlboro/Richmond	Marks Creek – Pee Dee River
		03040201-0502
Whites Creek	Marlboro/ Richmond	Reedys Branch – Great Pee Dee River





#### **Table 3.67 (cont.)** National Flood Insurance Program Regulated Floodplains Located Within the Project Study Area **HUC Code** Waterway County (Watershed/ Tributary of) 03040201-0503 Phillis Creek Marlboro Reedys Branch – Great Pee Dee River 03040201-0504 Marlboro Reedys Branch – Great Pee Dee River Huckleberry Branch 03040201-0505 Naked Creek Marlboro Reedys Branch – Great Pee Dee River 03040201-0506 Marlboro/Scotland/Richmond Crooked Creek-Lake Wallace Reedys Branch – Great Pee Dee River 03040201-0507 Crooked Creek Marlboro Reedys Branch – Great Pee Dee River 03040201-0510 Beaverdam Creek Marlboro Reedys Branch – Great Pee Dee River 03040201-0801 Upper Muddy Creek Marlboro Three Creeks – Great Pee Dee River 03040201-0803 Cottingham Creek Marlboro Three Creeks – Great Pee Dee River 03040201-0804 Three Creeks – Great Pee Dee River Hagins Prong Marlboro 03040201-0805 Three Creeks Marlboro Three Creeks – Great Pee Dee River 03040201-0806 Three Creeks – Great Pee Dee River Lower Muddy Creek Marlboro 03040201-0807 Rogers Creek Marlboro Three Creeks – Great Pee Dee River

Dillon

Dillon/Marlboro

Dillon/Marlboro

Tobys Creek

Smith Swamp

Upper Catfish Canal

03040201-1001

Tobys Creek – Great Pee Dee River

03040201-1101

Catfish Creek 03040201-1102

Catfish Creek





## 3.18.5 What direct impacts would there be to floodplains?

Flood Insurance Rate Maps identifying the 100-year floodplain were used to determine impacts associated with the Preferred Alternative. The No-build Alternative was also reviewed as part of the impact analysis. Proposed construction limits for the Preferred Alternative were used to estimate the impacted area within the floodplain. Table 3.68 lists the floodplain crossings for the Preferred Alternative.

Table 3.68 Floodplain Crossings Locations and Acres Encroached Upon by the Preferred Alternative			
Location of	Length of	Acres of Floodplain	
Crossing	Impact (feet)	Encroachment	
Beverly Creek	300	0.5	
Cottingham Creek	1160	4.5	
Hagins Prong	740	3.3	
Little Reedy Creek	360	0.4	
Little Reedy Creek	1080	5.4	
Little Reedy Creek	250	1.3	
Total Acres Encroached		15.4	

The Preferred Alternative would have six floodplain crossings, across Beverly Creek, Cottingham Creek, Hagins Prong, and Little Reedy Creek (three). The total area of floodplains being encroached upon along these crossings would be 15.4 acres. The No-build Alternative would not impact any floodplains within the project study area.

Engineering analysis of the floodplain impacts was conducted to further avoid and reduce impacts by bridging where possible. The use of bridges reduces wetland disturbance, and minimizes the impact of construction within the floodplain. Some bridge piers would, however, have to be placed in regulatory floodways and/or floodplains for the construction of these structures. Furthermore, where feasible, the proposed crossings were located adjacent to existing road crossings to minimize the impact.

The preliminary level of design for the bridges and culverts did not include detailed hydrology studies at this stage of project development. Additionally, the mapped areas within the project study area are all shown as Zone A, which does not provide base flood elevations. However, floodplain encroachments are not likely to increase the flooding in the area since bridge structures

will need to be designed to FEMA standards, which will result in less than a one-foot rise in the base flood elevation. Furthermore, structures would provide the minimum freeboard<sup>230</sup> above the design flood elevation and would not be exceeded by the 100-year storm.

Available FEMA studies were used to comply with Executive Order 11988, *Floodplain Management*, during the alternative analysis. However, during the design phase of the project, a detailed hydrologic study would need to be completed. Bridge and culvert designs must be conducted, as required by 23 CFR 650, Subpart A, *Location and Hydraulic Design of Encroachment on Floodplains*. This analysis would include establishing base flood elevations and adjusting bridge and culvert designs to minimize the risk of flooding upstream to less than one foot, as required by FEMA. Ongoing design efforts and coordination with resource and regulatory agencies will ensure that floodplain impacts are minimized during the design process.

Based on land use modeling, indirect and cumulative impacts to floodplains are anticipated to be minimal, with no anticipated impacts to the Great Pee Dee River floodplain.

#### 3.19 Wild and Scenic Rivers

Wild and Scenic Rivers are rivers and streams that are federally protected under the *Wild and Scenic Rivers Act* for their scenic, recreational, cultural, historic, wildlife, geologic, or other values. Based on the list of Wild and Scenic Rivers maintained by the National Park Service (NPS), no rivers or streams in the project study area are designated as Wild or Scenic Rivers.<sup>231</sup>

In addition, the USDA (through the U.S. Forest Service) and the U.S. Department of Interior (through the USFWS, Bureau of Land Management, and NPS) created the Nationwide Rivers Inventory as directed under Section 5(d) of the *Wild and Scenic Rivers Act*. The Nationwide Rivers Inventory lists rivers that meet the minimum standards for Wild, Scenic, and Recreational Status, and a 1979 Presidential Directive instructs federal agencies to avoid or mitigate adverse effects to streams or rivers listed. The Little Pee Dee River flows through the project study area, and a part of this river is listed on the Nationwide Rivers Inventory. However, the listed portion is located approximately ten miles downstream of the project study area boundary, and would not be impacted by the Preferred Alternative.<sup>232</sup>

<sup>&</sup>lt;sup>230</sup> "Freeboard represents a safety factor expressed in feet above a known flood elevations and tends to compensate for the many unknown factors that could contribute to flood heights greater than the height calculated for a selected size flood, such as wave action, bridge openings, and the hydrological effect of urbanization of the watershed." FEMA, <a href="http://www.fema.gov/hazard/flood/recoverydata/rita/rita">http://www.fema.gov/hazard/flood/recoverydata/rita/rita</a> la faqs.shtm#q4 (May 26, 2008).

<sup>&</sup>lt;sup>231</sup> NPS, Wild and Scenic Rivers System Website, <a href="http://www.rivers.gov/wildriverslist.html#ga\_nc\_sc">http://www.rivers.gov/wildriverslist.html#ga\_nc\_sc</a> (May 26, 2008). <sup>232</sup> NPS, Rivers, Trails, and Conservation Program Website, <a href="http://www.nps.gov/ncrc/programs/rtca/nri/states/sc.html">http://www.nps.gov/ncrc/programs/rtca/nri/states/sc.html</a> (May 26, 2008).





Rivers in South Carolina may also be protected under the *South Carolina Scenic Rivers Act of 1989* for their scenic, cultural, historic, recreational, botanical, geologic, or wildlife values. The SCDNR's South Carolina Scenic Rivers Program website identified a 48-mile stretch of the Little Pee Dee River from the Marlboro County line through Dillon County to the Marion County line as a State Scenic River (refer to Figure 3-36).<sup>233</sup> While a portion of this designated area is in the project study area, the proposed project would not cross the Little Pee Dee River; therefore, no State Scenic Rivers would be impacted by the Preferred Alternative.

# 3.20 Resources Affected Uniformly

#### 3.20.1 How would coastal resources be affected?

# Minturn 9 9 95

Figure 3-36 State Scenic River in Project Study Area

# 3.20.1.1 Coastal Zone Resources

The Coastal Zone Management Act of 1972, as amended, requires that projects within the coastal zone comply, to the maximum extent practicable, with approved state coastal management programs.<sup>234</sup> The South Carolina Coastal Zone Management Act gives SCDHEC-OCRM the authority to promote the economic and social welfare of the citizens, while protecting the sensitive and fragile areas of the coast. SCDHEC-OCRM has direct permitting authority over development in the critical areas of the coastal zone, including coastal waters, tidelands, beaches, and the oceanfront beach/dune system. In addition, SCDHEC-OCRM reviews and certifies all state/federal permit applications and activities, as well as issues state stormwater and sediment reduction permits within the coastal zone counties.<sup>235</sup>

The Coastal Zone is comprised of coastal waters and submerged bottoms seaward to the state's jurisdictional line as well as the lands and waters of the eight coastal counties of South Carolina, which include Beaufort, Berkeley, Charleston, Colleton, Dorchester, Georgetown, Horry and Jasper Counties.<sup>236</sup> The project study area does not fall within these eight counties and therefore, the *Coastal Zone Management Act* would not apply to this project.

<sup>&</sup>lt;sup>233</sup> SCDNR. Little Pee Dee River of Dillon County Website, <a href="http://www.dnr.sc.gov/water/envaff/river/scenic/lilpddillion.html">http://www.dnr.sc.gov/water/envaff/river/scenic/lilpddillion.html</a> (May 26, 2008).

<sup>&</sup>lt;sup>234</sup> 16 U.S.C. §1456(c).

<sup>&</sup>lt;sup>235</sup> SCDHEC Website, http://www.scdhec.gov/environment/ocrm/regs/enforcement.htm (May 26, 2008).

<sup>&</sup>lt;sup>236</sup> SCDHEC Website, <a href="http://www.scdhec.net/environment/ocrm/">http://www.scdhec.net/environment/ocrm/</a> (May 26, 2008).

#### 3.20.1.2 Coastal Barrier Resources

Under the *Coastal Barrier Resource Act of 1982*, agencies are prohibited from using federal funds that would impact undeveloped coastal barrier units in the Coastal Barrier Resource System. No coastal barriers exist in the project study area; therefore, the project would have no impact on coastal barriers.

# 3.20.2 How would energy be consumed by the project?

Transportation accounts for 28 percent of both direct and indirect energy consumption in the United States.<sup>231</sup> Vehicles traveling on roadways directly consume energy, while construction and maintenance of a facility indirectly consumes energy. Energy used during construction is typically a large, one-time energy expenditure and vehicle operation and maintenance facility are smaller, long-term energy impacts.

#### 3.20.2.1 Energy consumption during construction

Construction of the Preferred Alternative would require an initial use of energy and resources that would not be used if the project were not built. In general, the amount of expended energy during construction would be a function of construction cost. The primary categories of energy consumption during construction are the following:

- excavation of rock and soil, and the transport and compaction of roadway embankment materials:
- manufacture, transport, and utilization of various construction materials (aggregate, concrete, street, etc.); and,
- manufacture, transport and installation of various manufactured items (guard rail, signs, lighting, etc.).

Construction of the proposed project would consume energy resources for a short time; however, the savings would be realized over the life of the facility, which would become more evident closer to the design year. Completion of the facility would more than compensate for the energy lost during construction by increasing the efficiency of vehicles traveling through the project study area.

<sup>&</sup>lt;sup>237</sup> Department of Energy, Energy Information Administration, <a href="http://www.eia.doe.gov/neic/brochure/infocard01.htm">http://www.eia.doe.gov/neic/brochure/infocard01.htm</a> (May 26, 2008).





# 3.20.2.2 Energy consumption during the operation of the facility

Additional energy will be expended throughout the operational life of a transportation facility, mostly for vehicular travel in the form of fuel. Other lesser, but accumulative, energy uses include tires, oil, and miscellaneous vehicular maintenance items. Energy consumption due to travel would be directly proportional to how many vehicles use the facility.

Roadway maintenance would require an ongoing expenditure of energy in the form of maintenance materials and the fuel required for roadway, bridge, and drainage repairs. Energy consumption for maintenance would be relatively constant and independent of facility usage.

# 3.20.2.3 Energy conservation potential of the project

Energy conservation would come from one or more of the following factors:

- reduced vehicle-miles of travel;
- more efficient vehicle operation speeds;
- reduced accident potential;
- reduced construction effort; and/or,
- reduced traffic volume on existing area roadways.

# 3.20.2.4 Estimated statewide energy consumption savings with the Build Alternatives

The energy consumption savings for the project were derived from the results of the I-73 travel demand model. The model calculated the vehicle-miles of travel (VMT) for categories such as work, non-work, truck and statewide for the no-build and proposed alternatives. Using these categories and by comparing change in VMT for the Preferred Alternative to the No-Build Alternative, the percent change in VMT for motorists throughout the project study area was estimated. Using this percent change in VMT, an estimate of how much energy would be saved by the proposed project was determined by converting the changes to time and gasoline savings system wide. The Preferred Alternative would result in 15 percent reduction in energy consumption compared to the No-build Alternative.

#### 3.21 Permits

What Permits would be necessary to construct the proposed project?

# 3.21.1 Section 404 of the Clean Water Act

The USACE is authorized under Section 404 of the *Clean Water Act* to issue permits for the placement of dredged or fill material in waters of the United States, including jurisdictional wetlands. Jurisdictional wetlands within the Preferred Alternative have been delineated according to the *1987 Corps of Engineers Wetlands Delineation Manual*, <sup>232</sup> and a request for a jurisdictional determination has been submitted to the USACE. A Section 404 permit package will be completed and submitted to the USACE. The South Carolina portion of I-73 would be permitted through the Charleston District of the USACE while the North Carolina portion would be permitted through the Wilmington District.

# 3.21.2 Section 401 Water Quality

Project applications for state and federal permits that would result in a discharge to wetlands and waters of the United States must obtain a Section 401 Water Quality Certification from SCDHEC in South Carolina and the NCDENR Division of Water Quality in North Carolina. Certification involves a review of the proposed project and analysis of its potential impact to water quality. This review is performed to ensure that any discharge into jurisdictional areas is in accordance with state water quality standards.

# 3.21.3 Section 402 of the Clean Water Act

Section 402 of the *Clean Water Act* authorizes the USEPA to issue NPDES permits for the discharge of pollutants into waters of the United States. This authority was transferred to SCDHEC in South Carolina and NCDENR in North Carolina. Regulations implemented by SCDHEC and NCDENR are intended to reduce the adverse effects of stormwater and sediment run-off. The regulations require completion of a site plan illustrating controls designed to reduce stormwater runoff and minimize sediment erosion. Projects that disturb greater than one acre of land require an NPDES permit, also referred to as a Land Disturbance Permit. The permit is obtained through SCDHEC in South Carolina and the NCDENR Division of Land Resources, Land Quality Section in North Carolina. The NPDES permit requires that measures

<sup>&</sup>lt;sup>238</sup> U.S. Army Engineer Waterways Experiment Station Environmental Laboratory, *Corps of Engineers Wetlands Delineation Manual*, Technical Report Y-87-1 (1987).





to contain/pre-treat stormwater runoff prior to discharging into receiving waters be implemented and requires that a Stormwater Pollution Prevention Plan be developed for the project which would minimize potential impacts during construction. For projects constructed in any region of South Carolina or in a coastal county in North Carolina that disturb greater than five acres of land, the development and approval of permanent water quality BMPs and a signed maintenance agreement to insure continued water quality protection are required.

# 3.21.4 Stormwater Management and Sediment Reduction Act of 1991

The Stormwater and Sediment Reduction Act of 1991 applies to any land disturbing activity over two acres. Regulations implemented by SCDHEC are intended to reduce the adverse effects of stormwater and sediment run-off. The regulations require completion of a site plan illustrating controls designed to reduce stormwater runoff and minimize sediment erosion. To obtain a permit, the application must be sealed by a Professional Engineer and be approved by SCDHEC.

# 3.22 Short-term Uses Versus Long-term Productivity

The potential impacts of the proposed project must be weighed against the need for the interstate facility. Although potential adverse impacts may occur, the implementation of various mitigation measures would limit the extent of impacts that are deemed unavoidable. The local short-term impacts would be primarily associated with site preparation and construction of the interstate facility. Many of the potential impacts would only occur during construction and would be considered short-term, including run-off from site preparation and construction areas. Other potential impacts such as permanent changes to the existing land use, loss of wetlands, loss of farmlands, and loss of habitat would be considered long-term. These impacts are discussed in detail throughout this chapter. As discussed previously, the proposed project would provide long-term enhancement of opportunities for economic development, improved access for tourism, increased safety on existing roads, and provide a transportation system linkage (refer to Chapter One, Section 1.3, pages 1-11 to 1-12).

This page intentionally left blank.